



19 Ardena Court East Bentleigh 3165  
 PO Box 142 East Bentleigh 3165  
 Telephone 03 9579 2044 Facsimile 03 9579 0573  
 E-mail admin@solidsolutions.com.au  
 Website: www.solidsolutions.com.au

BRITISH UNITED INDUSTRIES (VIC) PTY LTD ATF BYRNE HUGHES FAMILY BUSINESS TRUST TRADING AS A TO Z SOLID SOLUTIONS ACN 006 303 591

**MODELLING MOULDING AND CASTING MATERIALS**

**SECTION 1 – IDENTIFICATION OF MATERIAL AND SUPPLIER**

<b>EMERGENCY TELEPHONE:</b>	03 9579 2044 (Business Hours 9 am – 5 pm).
<b>Product Name:</b>	Poly 74-20 Part B.
<b>Proper Shipping Name:</b>	Not applicable
<b>Product Use:</b>	Ambient temperature curing agent for mixing with Poly 74-20 Part A. Poly 74-20 Kit is used in areas such as potting and casting.
<b>Manufacturer’s Product Code:</b>	Not applicable.
<b>Creation Date:</b>	26 January 2009.
<b>Revision Date:</b>	To be revised before 25 January 2014.

**SECTION 2 – HAZARDS IDENTIFICATION**

This product is classified as a **HAZARDOUS SUBSTANCE** according to criteria of NOHSC Australia and as **NON-DANGEROUS GOODS** according to the Australian Dangerous Goods (ADG) Code.

<b>Hazard Category:</b>	Xn: Harmful; Xi: Irritant.
<b>Emergency Overview:</b>	Harmful by skin contact and ingestion. Harmful to aquatic organisms; may cause long-term adverse effects in the aquatic environment
<b>Skin Contact:</b>	Harmful by skin contact.
<b>Eye Contact:</b>	May cause slight eye irritation. Corneal injury is unlikely.
<b>Inhalation:</b>	At room temperature vapours are minimal due to low vapour pressure.
<b>Ingestion:</b>	Harmful if swallowed.
<b>Primary Routes of Exposure:</b>	Skin, inhalation, eye.
<b>Risk Statements:</b>	R21/22 Harmful in contact with skin and if swallowed. R36/38 Irritating to eyes and skin. R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.
<b>Safety Statements:</b>	S2 Keep out of the reach of children. S25 Avoid contact with eyes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37/39 Wear suitable protective clothing, gloves and eye protection. S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**SECTION 3 – COMPOSITION / INFORMATION ON INGREDIENTS**

<b>Ingredients:</b>	<b>CAS Number:</b>	<b>Proportion:</b>
Glycols and polyols.	Proprietary	30 - < 60% w/w
Aromatic amines and derivatives.	Proprietary	1 - < 5% w/w
Proprietary organometallic catalyst.	Proprietary	1 - < 5% w/w
Non Hazardous Ingredients.	Proprietary	To 100% w/w
<b>Total</b>		<b>100% w/w</b>



19 Ardena Court East Bentleigh 3165  
 PO Box 142 East Bentleigh 3165  
 Telephone 03 9579 2044 Facsimile 03 9579 0573  
 E-mail admin@solidsolutions.com.au  
 Website: www.solidsolutions.com.au

BRITISH UNITED INDUSTRIES (VIC) PTY LTD ATF BYRNE HUGHES FAMILY BUSINESS TRUST TRADING AS A TO Z SOLID SOLUTIONS ACN 006 303 591

**MODELLING MOULDING AND CASTING MATERIALS**

**SECTION 4 – FIRST AID MEASURES**

<b>Scheduled Poisons:</b>	Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons. (Phone Australia 13 1126) or a doctor (at once).
<b>First Aid Facilities Required:</b>	Eye wash fountains and a general washing facility should be easily accessible in the immediate work area.
<b>Inhalation:</b>	Remove victim from exposure to fresh air – avoid becoming a casualty. If not breathing, apply mouth-to-mouth resuscitation. If breathing is difficult, qualified personnel should administer oxygen. Remove contaminated clothing and loosen remaining clothing. Allow patient to assume most comfortable position and keep warm. Keep at rest until fully recovered. Call a doctor and/or transport to an emergency hospital.
<b>Skin contact:</b>	For gross contamination immediately drench with water and remove clothing. Continue to flush skin and hair with plenty of water and soap. Immediately remove contaminated clothing and wash before reuse. If irritation develops seek medical attention.
<b>Eye contact:</b>	If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. If irritation develops seek medical attention.
<b>Ingestion (Swallowed):</b>	Immediately rinse mouth with water. If swallowed DO NOT induce vomiting. Give a glass of water to drink. Never give anything by mouth to an unconscious patient. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration into the lungs. Get to a doctor or hospital quickly.
<b>Advice to Doctor:</b>	The manifestations of respiratory symptoms, resulting from acute exposure may be delayed. No specific antidote is known. Supportive care. Treatment based on judgement by the doctor in response to reactions of the patient. Poisons Information Centre in each Australian State capital city can provide additional assistance for scheduled poisons.

**SECTION 5 – FIRE FIGHTING MEASURES**

<b>Hazards from Combustion Products:</b>	Upon combustion, this product may emit carbon monoxide, carbon dioxide, oxides of nitrogen (NO <sub>x</sub> ), formaldehyde, and other possibly toxic gases and vapours on burning.
<b>Suitable Extinguishing Media:</b>	Carbon dioxide, dry chemical foam, dry powder. For large-scale fires, alcohol resistant foams are preferred if available. General-purpose synthetic foams or protein foams may function, but much less effectively. Water may be used as a blanket for fire extinguishment. If water is used, it should be used in very large quantities. If possible, contain fire run off water.
<b>Precautions for Fire Fighting:</b>	In case of fire use large quantities of water, foam, carbon dioxide or a dry chemical. Immediately evacuate the area (including down-wind) of unnecessary personnel. People who are fighting fires must be protected against hazardous combustion products by wearing positive pressure self-contained breathing apparatus and full protective clothing. If safe to do so, remove container(s) from the path of the fire if it can be done without risk. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas.
<b>Hazchem Code:</b>	Not applicable.
<b>Flash Point:</b>	> 150°C (estimated).



19 Ardena Court East Bentleigh 3165  
PO Box 142 East Bentleigh 3165  
Telephone 03 9579 2044 Facsimile 03 9579 0573  
E-mail admin@solidsolutions.com.au  
Website: www.solidsolutions.com.au

BRITISH UNITED INDUSTRIES (VIC) PTY LTD ATF BYRNE HUGHES FAMILY BUSINESS TRUST TRADING AS A TO Z SOLID SOLUTIONS ACN 006 303 591

## MODELLING MOULDING AND CASTING MATERIALS

### SECTION 5 – FIRE FIGHTING MEASURES (CONTINUED)

**Fire Hazards:** Hazardous combustion products: Product may emit carbon monoxide, carbon dioxide, oxides of nitrogen (NO<sub>x</sub>), formaldehyde, and other possibly toxic gases and vapours on burning.

### SECTION 6 – ACCIDENTAL RELEASE MEASURES

**Spills:**

**Personal Precautions:** Evacuate and ventilate spill area. In case of spill, wear full protective equipment including respiratory equipment during clean up as indicated in section 8 below. Isolate hazard area and deny entry.

**Environmental Precautions:** Contain spill, e.g. by diking, to prevent entry into sewers, drainage system, surface or ground water systems. In the event of product entering waters or drainage system, or polluting soil or plants contact the Environmental Protection Authority or your local Waste Management Authority.

**Major Spill:** If transportation spill, dial “000” for Police or Fire Brigade. Large quantities may be pumped into closed containers for disposal.

**Minor Spill:** Spilt material may result in a slip hazard and should be absorbed into dry, inert material (e.g. sand, sawdust, vermiculite or other absorbent), which then can be put into appropriately labelled open top drums.

### SECTION 7 – HANDLING AND STORAGE

**Handling:** Avoid all personal contact, including skin and eye contact and inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Avoid contact with incompatible materials. When handling, DO NOT eat, drink or smoke. Keep containers closed at all times. Avoid physical damage to containers. Always wash hands with soap and water after handling. Work clothes should be laundered separately. Launder contaminated clothing before re-use.

**Storage:** Store indoors at temperatures below 49°C in original, unopened containers. Store away from oxidising agents, acids, organic sulfur compounds and aluminium, excessive heat and sunlight.

**Storage:** Store indoors at temperatures below 49°C in original, unopened containers. Store away from oxidising agents, acids, organic sulfur compounds and aluminium, excessive heat and sunlight.

**Flammability:** Class C2 combustible liquid. Product is non-flammable according to Australian Code for Transport of Dangerous Goods. However, product will burn in a general fire.



19 Ardena Court East Bentleigh 3165  
 PO Box 142 East Bentleigh 3165  
 Telephone 03 9579 2044 Facsimile 03 9579 0573  
 E-mail admin@solidsolutions.com.au  
 Website: www.solidsolutions.com.au

BRITISH UNITED INDUSTRIES (VIC) PTY LTD ATF BYRNE HUGHES FAMILY BUSINESS TRUST TRADING AS A TO Z SOLID SOLUTIONS ACN 006 303 591

**MODELLING MOULDING AND CASTING MATERIALS**

**SECTION 8 – EXPOSURE CONTROLS AND PERSONAL PROTECTION**

<b>Exposure Limits:</b>	National Occupational Exposure Limits, as published by National Occupational Health & Safety Commission: <b>Time-weighted Average (TWA):</b> None established for this product. <b>Short Term Exposure Limit (STEL):</b> None established for this product.
<b>Engineering Controls:</b>	Ensure for good ventilation/ suction. Use only in a well-ventilated area. Ensure airflow, where this product is used, is directed away from the operators. Ensure ventilation is adequate to maintain air concentrations below exposure standards. If this is not possible, use appropriate personal protective equipment (meeting the requirements of AS/NZS 1715 and AS/NZS 1716).
<b>Personal Protection:</b>	<u>Respiratory protective equipment:</u> Suitable breathing mask where ventilation is inadequate to maintain air concentrations below exposure standards. <u>Eye protection:</u> The use of face shields, chemical goggles, or safety glasses with side shield protection is recommended. <u>Hand protection:</u> Chemical resistant gloves (e.g. Polyethylene/Ethylene Vinyl Alcohol/ Polyethylene or PE/EVAL/PE or Dupont Barricade gloves complying with AS 2161) are recommended. <u>Clothing:</u> Suitable protective clothing complying with AS 2919 (Industrial Clothing), suitable footwear complying with AS/NZS 2210 (Occupational protective footwear - Guide to selection, care and use).
<b>Flammability:</b>	Class C2 combustible liquid. Product is non-flammable according to Australian Code for Transport of Dangerous Goods. However, product will burn in a general fire

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance:</b>	Yellow liquid.
<b>Odour:</b>	Mild odour.
<b>pH:</b>	Not applicable.
<b>Vapour Pressure:</b>	< 1 mm Hg @ 25°C (estimated).
<b>Boiling Point/ Range:</b>	No data.
<b>Solubility in Water:</b>	Negligible.
<b>Density:</b>	Ca 1.0 kg/l @ 25°C.
<b>Flashpoint:</b>	> 150°C (estimated).
<b>Stability:</b>	Stable under normal conditions.

**SECTION 10 – STABILITY AND REACTIVITY**

<b>Chemical Stability:</b>	Stable at normal temperatures and pressure.
<b>Conditions to Avoid:</b>	Avoid exposure to excessive heat and sunlight. Stable when stored under normal conditions.
<b>Materials to Avoid:</b>	Oxidising agents, acids, organic sulfur compounds and aluminium, excessive heat and sunlight.
<b>Hazardous Decomposition:</b>	Upon decomposition, this product may emit carbon monoxide, carbon dioxide, oxides of nitrogen (NO <sub>x</sub> ), organic acids, and other possibly toxic gases and vapours.



19 Ardena Court East Bentleigh 3165  
PO Box 142 East Bentleigh 3165  
Telephone 03 9579 2044 Facsimile 03 9579 0573  
E-mail admin@solidsolutions.com.au  
Website: www.solidsolutions.com.au

BRITISH UNITED INDUSTRIES (VIC) PTY LTD ATF BYRNE HUGHES FAMILY BUSINESS TRUST TRADING AS A TO Z SOLID SOLUTIONS ACN 006 303 591

## MODELLING MOULDING AND CASTING MATERIALS

### SECTION 11 – TOXICOLOGICAL INFORMATION

#### Health Effects:

##### Acute:

<b>Swallowed:</b>	May be harmful if swallowed.
<b>Acute Toxicity Data (Oral):</b>	No data for product.
<b>Eye:</b>	May cause slight eye irritation. Corneal injury is unlikely.
<b>Skin:</b>	Harmful by skin contact. Prolonged or repeated exposure may cause irritation.
<b>Acute Toxicity Data (Dermal):</b>	No data for product.
<b>Inhaled:</b>	At room temperature vapours are minimal due to low vapour pressure.
<b>Acute Toxicity Data (Inhalation):</b>	No data for product.

##### Chronic Toxicity Data:

<b>Carcinogenicity:</b>	No data for product.
<b>Reproductive &amp; Developmental Toxicity/Teratogenicity:</b>	No data for product.

### SECTION 12 – ECOLOGICAL INFORMATION

<b>Movement &amp; Partitioning:</b>	No data for product.
<b>Fish toxicity:</b>	None available for product.
<b>Algae toxicity:</b>	None available for product.
<b>Invertebrates toxicity:</b>	None available for product.
<b>Bird toxicity:</b>	None available for product.
<b>Biological degradation &amp; Transportation:</b>	No data on product.
<b>General:</b>	DO NOT DISCHARGE INTO DRAINS, WATERWAYS, SEWER OR ENVIRONMENT. Contains tin organic compound. Keep from entering waste-water, soil or surface waters. Inform local authorities if this occurs.

### SECTION 13 – DISPOSAL CONSIDERATIONS

Any disposal of product, drain and rinse liquid, or containers, must be in accordance with all State, Territory and/or Local government regulations. Liquids are usually incinerated in an approved facility. Solids are usually also incinerated or land filled in approved facilities. Empty plastic or steel drums should first be decontaminated by filling with water or decontamination solution.

### SECTION 14 – TRANSPORT INFORMATION

<b>General:</b>	This material is not a Dangerous Good according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
<b>UN Number:</b>	Not applicable.
<b>UN Proper Shipping Name:</b>	Not applicable.
<b>ADG Class:</b>	Not applicable.
<b>Packing Group:</b>	Not applicable.
<b>HAZCHEM Code:</b>	Not applicable.



19 Ardena Court East Bentleigh 3165  
 PO Box 142 East Bentleigh 3165  
 Telephone 03 9579 2044 Facsimile 03 9579 0573  
 E-mail admin@solidsolutions.com.au  
 Website: www.solidsolutions.com.au

BRITISH UNITED INDUSTRIES (VIC) PTY LTD ATF BYRNE HUGHES FAMILY BUSINESS TRUST TRADING AS A TO Z SOLID SOLUTIONS ACN 006 303 591

**MODELLING MOULDING AND CASTING MATERIALS**

**SECTION 15 – REGULATORY INFORMATION**

**SUSDP:** No Poisons Schedule Number allocated  
**AICS:** All ingredients present on AICS.

**SECTION 16 – OTHER INFORMATION**

**Labelling Details:**

**Risk Statements:** R21/22 Harmful in contact with skin and if swallowed.  
 R36/38 Irritating to eyes and skin.  
 R48/22 Harmful: danger of serious damage to health by prolonged exposure if swallowed.

**Safety Statements:** S2 Keep out of the reach of children.  
 S25 Avoid contact with eyes.  
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S36/37/39 Wear suitable protective clothing, gloves and eye protection.  
 S45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

**SUSDP:** No Poisons Schedule Number allocated  
**ADG Code:** Not applicable.  
**Flammable & Combustible Liquids:** Combustible liquid – Class C2 label required, including Hazardous Substance requirements.

**Acronyms:**

ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail.
AICS	Australian Inventory of Chemical Substances.
CAS Number	Chemical Abstracts Service Registry Number.
HAZCHEM	An emergency action code of numbers and letters which gives information to emergency services.
IARC	International Agency for Research on Cancer.
NOHSC	National Occupational Health and Safety Commission (now part of Australian Safety & Compensation Council)
SUSDP	Standard for the Uniform Scheduling of Drugs and Poisons.
UN Number	United Nations Number.

**Issue Date:** 26 January 2009.  
**Supersedes Issue Date:** Not applicable.  
**Revision Information:** New Issue.



19 Ardena Court East Bentleigh 3165  
PO Box 142 East Bentleigh 3165  
Telephone 03 9579 2044 Facsimile 03 9579 0573  
E-mail [admin@solidsolutions.com.au](mailto:admin@solidsolutions.com.au)  
Website: [www.solidsolutions.com.au](http://www.solidsolutions.com.au)

BRITISH UNITED INDUSTRIES (VIC) PTY LTD ATF BYRNE HUGHES FAMILY BUSINESS TRUST TRADING AS A TO Z SOLID SOLUTIONS ACN 006 303 591

**MODELLING MOULDING AND CASTING MATERIALS**

**SECTION 16 – OTHER INFORMATION (CONTINUED)**

<b>Contact Point:</b>	Regulatory Affairs Manager.
<b>Telephone:</b>	03 9579 2044.
<b>Note:</b>	Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy.
<b>Disclaimer:</b>	This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of this product, and in particular how to safely handle and use this product in the workplace. Since Solid Solutions cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace. This MSDS does not represent a guarantee for the properties of the product(s) described in terms of the legal warranty regulations. If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.